




MONOGRAPH · DOSING

How to verify protein powder when scoops keep growing

Nitrogen assays count every nitrogen source, so the front label can look strong while intact protein runs lower. This guide puts trial doses beside label doses, so each serving can be judged in milligrams and percent.

- **Serving arithmetic**
Protein grams divided by serving grams shows what the scoop really delivers.
- **Spiking screen**
Bound plus free amino acids reveal whether nitrogen comes from intact chains.
- **Paper trail**
Lot, method, lab and numeric limits tie a certificate to the tub.

By Hailey Carson · Updated Sep 30, 2026 · 10 min read

CONTENTS

01	Concentrate, isolate and plant blends compared	05	Apply third party certification and read certificates
02	Relate protein grams to serving grams	06	Place one serving inside a varied eating pattern
03	Interpret sweeteners and the amino acid panel	07	The checklist
04	Detect amino spiking through laboratory pages	08	Sources and further reading

Total nitrogen methods count intact whey chains, free amino acids and other nitrogen compounds together, so a label can pass its protein assay while delivering less complete protein than the number implies. A buyer who starts from that gap can compare serving weight, amino acid milligrams and lot paperwork before choosing taste or price.

01

Concentrate, isolate and plant blends compared

Whey begins as a thin dairy stream left over after cheese production. Manufacturers filter that stream and spray dry the retained fraction to a powder. The degree of filtration determines how much material remains alongside protein in the finished powder.

A narrative review in PMC places whey protein concentrate at 20% to 85% protein, with variable fat, lactose and minerals. The same review places whey protein isolate at 90% to 95% protein, with only small amounts of fat, lactose and minerals. Processing removes more lactose from isolate than from concentrate. Hydrolysate forms a third category, predigested into shorter peptides, which alters solubility and label presentation.

Plant powders come from separate crops and separate processing lines, commonly soy, pea, rice, or mixtures. Among single plant powders, only soy protein powder counts as complete, whereas combinations of two or more plants can provide all essential amino acids. Whey counts as complete protein because it supplies all nine essential amino acids including leucine, isoleucine and valine, the three branched chain amino acids usually abbreviated as BCAAs.

Origin by itself does not establish quality. Whey and plant powders can support muscle growth to a similar degree when protein and BCAAs per serving match, which makes purity checks more informative than origin alone. The sections that follow explain how to run that paper comparison.

Usual whey and plant based powders list 20 to 30 grams of protein per serving, so check the dose before trusting the claim. A sound powder provides at least 20 to 30 grams of protein and 6 to 15 grams of essential amino acids per serving, including at least 1 to 3 grams of leucine.

Research suggests that a 20 to 25 gram dose of high quality protein is associated with stimulating muscle protein synthesis in most adults. Those intervals deserve attention when a scoop looks large and the protein figure looks larger.

02

Relate protein grams to serving grams

The frequent error involves reading protein grams while ignoring serving grams. FDA Nutrition Facts guidance says every nutrient amount including calories means one serving, and serving size means what people usually eat or drink, not advice. Start with serving size in grams, then divide protein grams by serving grams to judge concentration. That proportion allows tubs with different scoops to be compared directly.

Run the proportion test

A 30 gram scoop carrying 24 grams of protein equals 80 percent protein, which is strong label math. A 45 gram scoop carrying 25 grams of protein equals about 56 percent protein, so much of the scoop is other material. The second container may taste smoother or mix thicker, because flavouring, sweeteners, gums, creamers and added carbohydrate contribute mass without contributing intact protein. Large scoops frequently reduce protein percentage even when the front panel figure appears strong.

Calories offer a second crosscheck. Protein gives 4 calories per gram and fat gives 9 calories per gram, so I can cross check total calories against protein, fat and carbohydrate. A powder listing 20 to 30 grams of protein will often fall near 100 to 150 calories when fat and carbohydrate remain modest, although added oils, sugars and serving size move the total. When calories climb while protein remains unchanged, examine the other ingredients line for the material that fills the scoop.

The first ingredient ought to name a defined protein, for example whey protein isolate, whey protein concentrate, milk protein isolate, soy protein isolate, pea protein, or a declared blend with shares. Vague terms such as protein blend without amounts obscure quality because the proportion from each source remains unknown. A buyer who cooks for a household relies on that line especially, since lactose tolerance, soy use and milk allergy management depend on exact names.

FROM THE EDITORS

How much of the scoop is protein is serving arithmetic, not a health claim. The calculation separates protein from flavour, sweetener, thickener and other carriers. Compare tubs on that basis, then assess amino acids and laboratory pages for the remainder.

03

Interpret sweeteners and the amino acid panel

Sweeteners affect taste and tolerance rather than protein content. Some tubs contain sugar, some contain stevia or monk fruit, some contain sucralose or acesulfame potassium, so read the sweetener line closely. The Supplement Facts panel reports sugars and the other ingredients line reports the system. Choose the system the household will use consistently, then return to protein quality with steady data.

Quality becomes visible in the amino acid line. Seek 5 grams or more BCAAs, 2 to 3 grams leucine, and all nine essential amino acids shown with amounts. Sound whey should display about 11 percent leucine, around 2.7 grams in a 25 gram serving, and about 25 percent BCAAs, around 6 grams. Plant blends deserve equal scrutiny, because single sources other than soy may be short in one essential amino acid and rely on blending to close the gap.

Added taurine, glycine or creatine next to a high protein figure warrants closer review. Amino spiking adds cheap free amino acids or nitrogen compounds like taurine or creatine to lift nitrogen based protein readings without adding intact protein. Such ingredients are not concealed when listed among ingredients, yet their influence on the protein number is easy to overlook. No published universal cutoff says what free amino acid share proves spiking, so each brand has to set formula specific limits.

Price and texture may prompt a check without deciding the matter. A very low price per gram of claimed protein, a thin mouthfeel paired with an isolate level protein claim, or a label with added amino acids placed high in the list each point toward the laboratory section below. The question to retain is straightforward. Ask whether the same sample shows total nitrogen, bound amino acids and free amino acids from an accredited lab.

04

Detect amino spiking through laboratory pages

Protein claims depend on nitrogen assays. Kjeldahl AOAC 981.10 and Dumas combustion AOAC 991.20 measure total nitrogen then multiply by a factor, usually 6.25, to estimate protein. U.S. labeling rules at 21 CFR 101.9 c 7 allow protein as 6.25 times nitrogen by AOAC methods unless another official factor applies, with 6.38 listed for dairy protein.

The constraint lies inside the method. Those assays register all nitrogen, whether nitrogen arrives from intact whey chains, free amino acids, or other nitrogen compounds. A tub may therefore satisfy a nitrogen test while containing less intact protein than the figure suggests. That discrepancy explains why a bound amino acid sum plus free amino acid test is needed alongside total nitrogen.

Request a same sample panel when spiking seems possible. Total nitrogen supplies the label estimate. Bound amino acids, measured after hydrolysis, indicate protein incorporated into chains. Free amino acids indicate material added or left unbound. Whether one specific lot is spiked stays unknown without that same sample panel of total nitrogen, bound amino acids and free amino acids from an accredited lab. A single page seldom resolves the issue.

Treat whey markers as guidance rather than a rule. Typical leucine near 11 percent and BCAAs near 25 percent in quality whey provide a reference point for a complete amino acid profile. A profile substantially below those shares, or a large free amino acid fraction relative to the brand formula limit, requires an explanation from the maker. The paperwork should identify the grower or dairy stream where possible, the batch or lot number, the method, and the lab, so the result can be connected to the tub in hand.

05

Apply third party certification and read certificates

Third party certification never assays every scoop, yet it creates a paper trail that a bare claim cannot. NSF ANSI 173 remains the published standard that covers supplement contents and contaminants. The NSF Certified for Sport directory shows which products and lots hold that sport certification at the time of search, so verify before buying. Informed-Choice and USP Verified seals indicate separate programs with distinct testing and listing rules. To search a product and lot before buying, enter the exact product name in the directory, match the lot where shown, and save the page.

Then ask for the certificate of analysis covering the lot. A strong certificate of analysis names product, batch or lot number, exact method like USP, AOAC, HPLC or ICP MS, named ISO IEC 17025 lab, numeric results with units and basis, and pass or fail limits. Heavy metal lines need

pass or fail limits and results with a clear basis in ppm, microgram per gram or per serving, for lead, cadmium, mercury and arsenic. Microbiology lines should list total plate count, yeast and mold, and pathogens with limits fitted to the product matrix.

What exact lead, cadmium and microbial limits one brand uses cannot be stated here, since limits vary by specification and retailer. Ask the brand to print the specification next to each result. Warning signs include PASS without numbers, a report covering only metals when microbes are missing, no method, no lab name, no lot match, or results without units and basis. A complete page may still leave questions, and an incomplete page answers none.

Context assists interpretation of metals without alarm or dismissal. Plant powders tend to carry more heavy metals than animal powders in reviews, yet a risk assessment found hazard indexes below 1 and modeled blood lead below guidance at one or three servings per day. A PMC human health risk assessment modeled hazard indexes below 1 for arsenic, cadmium, mercury and lead at one or three servings per day, lowest in whey powders. That risk assessment also modeled all adult blood lead levels below the CDC guidance value of 5 micrograms per deciliter. Those modeled results apply to the studied products and intakes, not a pledge about any tub.

Long term effects remain unresolved in areas. One narrative review links whey to possible liver, kidney, gut, acne and bone effects in some settings, while other researchers reject liver and kidney harm, leaving long term effects unresolved. Reviews still call for more research on chronic high dose whey use in sedentary people and sensitive groups. A buyer with kidney or liver disease, a history of severe acne, or an older parent in the house should see a professional and keep powder as one part of food, not the base.

06

Place one serving inside a varied eating pattern

Treat powder as a supplement to whole foods such as chicken, fish, tofu, eggs and legumes, rather than the main source. Most people should aim for 0.6 to 0.9 grams of protein per pound 1.4 to 2.0 grams per kg per day, or 20 to 40 grams per meal, then adjust by trial results. How much powder one person needs daily stays personal, since needs vary by weight, age, diet, training, and kidney or liver health.

A workable approach is one sensible serving added to food already consumed. Total protein from meals comes first, then powder fills only the gap on training days or low appetite days. Keep the same product and the same scoop for a month so the household can assess tolerance, taste and cost per gram of protein. When you bring a tub home, file the lot number and test page with the receipt.

Particular readers merit caution. Older adults often require steady protein across meals and a clinician check on kidney function before raising intake. People with kidney or liver conditions should get medical guidance before regular use. People prone to acne or gut upset should trial

slowly and note lactose, since concentrate carries more lactose than isolate. If uncertainty persists, a dietitian or physician can define the daily target and check the label against the certificate.

07

The checklist

-
- ☐ Record serving grams and protein grams, then calculate protein share
 - ☐ Verify first ingredient identifies protein source plus form
 - ☐ Confirm 20 to 30 g protein aligns with 100 to 150 calories
 - ☐ Demand all nine essential amino acids reported with amounts
 - ☐ For recovery, seek at least 5 g BCAAs with 2 to 3 g leucine.
 - ☐ Notice added taurine, glycine or creatine near strong claims
 - ☐ Consult NSF Certified for Sport, Informed-Choice or USP listings
 - ☐ Obtain lot matched certificate naming method plus lab
 - ☐ Insist on numeric lead, cadmium, mercury and arsenic values
 - ☐ Check the COA for micro limits on plate count, yeast, mold and pathogens
 - ☐ Dismiss PASS lacking numbers, units, basis and limits
 - ☐ Define one daily serving after tallying food protein first
-

Sources and further reading

- Plant-Based Protein vs. Whey Protein: Which Is Better? · [healthline.com](https://www.healthline.com)
- How Protein Powder Brands Verify Protein Claims and Investigate Concerns Amino Spiking · bscg.org
- A human health risk assessment of heavy metal ingestion among consumers of protein powder supplements · [pmc.ncbi.nlm.nih.gov](https://pubmed.ncbi.nlm.nih.gov)
- Good vs. Bad Supplement CoAs: How to Read a Certificate of Analysis (and Fix Yours) — Blue Ocean Regulatory Inc. · blueoceanregulatory.com
- Investigating the Health Implications of Whey Protein Consumption: A Narrative Review of Risks, Adverse Effects, and Associated Health Issue · [pmc.ncbi.nlm.nih.gov](https://pubmed.ncbi.nlm.nih.gov)
- How to Understand and Use the Nutrition Facts Label · [fda.gov](https://www.fda.gov)

For information only, not medical advice. These statements have not been evaluated by the Food and Drug Administration, and no supplement here is intended to diagnose, treat, cure or prevent any disease. Ask a doctor or pharmacist before starting one, especially alongside prescription medicines, in pregnancy or before surgery.



WRITTEN BY

Hailey Carson

Hailey produces the Half Life interviews: the reading, the question lists, the follow-ups. She asks every founder for the study behind the claim and, more often than you would expect, gets the PDF the same afternoon.
