




MONOGRAPH · DOSING

Mushroom powders, dose by dose explained

Powder labels hide pharmacology behind ratios and blends. After this guide you will be able to line up milligrams, forms and certificates and tell which jar matches its trial.



Form matters

Fruiting body extracts usually test higher in beta glucans than grain biomass.



Solvent sets profile

Water pulls glucans, alcohol is needed when triterpenes are claimed.



Milligrams convince

Named beta glucan percent with method beats any ratio on its own.

By Hailey Carson · Updated Aug 17, 2026 · 10 min read

CONTENTS

01	Fruiting body or mycelium grown on grain	05	Spotting grain load in the certificate
02	Water simmer or water plus alcohol, in simple language	06	What strong labels state, plus mushroom coffee math
03	Why ratios mislead and percentages inform	07	The checklist
04	Total polysaccharides compared with beta glucans	08	Sources and further reading

By the end of this guide you will be able to translate a mushroom label into pharmacology, meaning form, milligrams per serving, likely absorption and the trial dose behind the claim. Many jars list a bold ratio while omitting the tested compounds, and grain residue can outweigh fungal material. A 2017 report in Nature found only five of 19 reishi batches matched their labels. When source part, solvent and certificate turn readable, ranking products stops being guesswork.

01

Fruiting body or mycelium grown on grain

The mycelium is the network of fine filaments that spreads under the surface. The fruiting body is the stalk and cap that grows upward from it. Both contain fungal tissue, and references differ about the worth of mycelium. Some describe shared and complementary chemistry across the two parts, while others prefer fruiting bodies for greater beta glucan levels and longer use history.

Farmed mycelium requires a feedstock like rice or oats. The filaments penetrate that cereal, and early collection can leave more feedstock than fungus. The outcome is often termed myceliated grain biomass. A sound fruiting body extract should assay at 15 to 40 percent beta glucans by dry weight, while myceliated grain biomass often assays below 5 percent beta glucans and above 40 percent starch.

The gap matters because total carbohydrates with polysaccharides represent around 50 percent of mushroom dry matter. In a fruiting body powder, a large share of that carbohydrate may be fungal beta glucan. Follow a myceliated grain product upstream and much of it can be residual feedstock. Panels do not always state the split clearly. Search Supplement Facts and the other ingredients line for fruiting body extract, mycelium, myceliated grain, substrate, brown rice, or oats.

Use history plays a role here as well. Fruiting bodies hold the deeper record in traditional preparation and in the reference material that laboratories use for identity. That history does not establish a stronger outcome for any individual. It helps explain why many purchasers use

fruiting body as the baseline when beta glucan content is the target, and request added paperwork when a product centers on mycelium.

02

Water simmer or water plus alcohol, in simple language

Fungal cell walls consist largely of chitin, and plain milled powder leaves that wall intact. The wall traps constituents inside. Without extraction, much of the powder passes through in a state that heating or laboratory processing would otherwise open.

Hot water extraction heats mushroom material in water, commonly for hours, to free water soluble constituents including beta glucans. The brew is then dried back into powder. Dual extraction pairs hot water extraction with an alcohol extraction, then blends the two extracts into one finished product. After harvest, dual extraction seeks both water soluble beta glucans and alcohol soluble constituents such as triterpenes.

References differ about when dual extraction is warranted. Some portray it as relevant chiefly for reishi style triterpenes, while another reference calls it essential for reishi and chaga and wasteful or damaging for turkey tail. The careful interpretation is tied to species. For reishi, where triterpenes belong to the declared profile, a dual extract carries a clear rationale. For species valued mainly for beta glucans, hot water alone may be enough.

Either phrase by itself does not prove potency. A panel can claim hot water extracted or dual extracted without listing time, temperature, solvent proportion, or assayed constituent levels. Treat those phrases as a start. Then check how much extract sits in each serving, which compounds were quantified, and whether the certificate reports the result for the lot at hand.

FROM THE EDITORS

Under the Dietary Supplement Health and Education Act, supplements sit in the food category, not the drug category. The U.S. Food and Drug Administration does not check dietary supplements for safety or efficacy before sale. Brand claims state intention, not agency approval.

03

Why ratios mislead and percentages inform

An extraction ratio like 8:1 states how much starting material entered relative to finished output. Eight parts of raw mushroom produced one part of finished extract. The ratio alone does not confirm active constituent concentration. A high ratio can indicate a concentrated extract or a low yield process, and the figure itself cannot separate the two.

A percentage linked to batch assay answers concentration. Mushroom beta glucans are built from D glucose monomers with beta 1,3 linkages for linear structure and beta 1,6 linkages for branching, unlike cereal beta glucans with 1,3 and 1,4 and no 1,6 branching. A panel declaring 25 percent beta glucans, with method identified and a lot specific certificate supporting it, conveys more than 8:1 by itself. The ratio narrates the input. The percentage reports what remained in measurable form.

Loose descriptors have no fixed definition. Phrases such as standardized without a stated compound and quantity, or clinical strength without a serving and citation, resolve neither issue. A trustworthy panel identifies the part used, the extraction type, the quantity of extract per serving, and the measured proportion of beta glucans or other declared constituents. Where triterpenes are asserted, as with certain reishi products, the panel should list the proportion and the assay too.

Beta glucan quantification stays challenging because procedures vary, including phenol sulphuric total carbohydrate procedures compared with Congo red, aniline blue, Megazyme and GlucateLL approaches. Separate procedures can give separate values for the same powder. Hence method name, laboratory name, and date belong next to the percentage. Lacking them, two products with matching figures cannot be compared with confidence.

04

Total polysaccharides compared with beta glucans

Since starch counts as a polysaccharide, elevated total polysaccharide values can mirror grain starch instead of mushroom beta 1,3 and 1,6 glucans. That mix up sits at the center of many panels. Total polysaccharides cover both fungal beta glucans and alpha glucans from cereal starch. A product raised on rice or oats can thus display a high polysaccharide figure while holding little fungal matter.

Apply two signals together. The first is the share that is beta glucan. A quality fruiting body extract measures 15 to 40 percent by dry weight. Values below 5 percent beta glucans point to dilute or grain heavy matter. The second is the share that is starch or alpha glucan. Values above 40 percent starch point to myceliated grain biomass instead of extracted fruiting body. When a label lists only total polysaccharides, the starch question stays open.

WHAT THE LABEL SHOWS	WHAT IT CAN MEAN	WHAT TO ASK NEXT
Beta glucans 20 percent with method named	Quantified fungal glucans linked to an assay	Which lab, which lot, what date
Total polysaccharides 45 percent, no beta glucans	Potential blend of fungal glucans and cereal starch	Proportion of beta glucans and starch separately
Beta glucans under 5 percent, starch over 40 percent	Probable myceliated grain biomass	Part used, substrate, extraction type
Ratio only, such as 10:1, no percentage	Starting quantity, not concentration	Assayed constituent levels for this lot

Grain residue is not always an added powder. Frequently it is the feedstock itself, carried through drying and grinding. Ingredient lines showing mycelium plus rice, oats, or maltodextrin type carriers warrant a closer review of the beta glucan and starch sections. A fruiting body extract should need no grain math to excuse it.

FROM THE EDITORS

One lab result covers one batch, but clearer label and certificate detail aids comparison. That does not show absorption, batch to batch consistency, or any defined health result. True dose per jar stays unclear sans a batch specific certificate, and kinetic data center on injected lentinan rather than oral beta glucan.

05

Spotting grain load in the certificate

A Certificate of Analysis describes one batch, not a whole brand. Begin with the header. When the documentation counts, a Certificate of Analysis should match the package by lot number and carry a date within the last 12 to 24 months, while reports older than 2 years should be treated as not reflecting current quality. Compare the lot on the jar with the lot on the page, since diverging lots mean the page does not describe the jar.

Then examine the source. The laboratory behind a COA should be an independent accredited third party, with ISO IEC 17025 accreditation as the benchmark to seek. Internal sheets serve process control, but comparison rests on independent assay. Name, accreditation, signature and date should show on the record itself.

Then review the summary sections. Identity verifies species and part. Microbials, heavy metals, pesticides, mycotoxins and residual solvents each address a separate hazard from field to finished powder. A full heavy metals section should measure lead, mercury, arsenic and cadmium, with outcomes below USP 232 limits. Mushrooms can gather metals from soil, substrate and water, so a missing section leaves a basic sourcing issue open.

Parsing the carbohydrate lines

Locate beta glucans, alpha glucans or starch, and total polysaccharides on separate lines. Infer the likely account. Elevated beta glucans with limited starch align with a fruiting body extract. Limited beta glucans with elevated starch align with myceliated grain. Elevated total polysaccharides without a beta glucan line establish little about fungal matter. Record the procedure beside each line, because phenol sulphuric and dye binding or enzymatic procedures do not always match. Retain the sheet with the lot number for later comparison.

06

What strong labels state, plus mushroom coffee math

Reishi, lion's mane and cordyceps panels each face a separate proof standard. For reishi, bitterness commonly reflects triterpenes, and brands asserting those compounds should present a triterpene profile and declare whether hot water or dual extraction was applied. For lion's mane, smooth blending and daily use framing are frequent, so the panel should still identify fruiting body or mycelium, extract quantity per serving, and beta glucan proportion. For cordyceps, variation by origin runs high, from farmed mycelium to fruiting body and across separate species names, so the label should name the source material and performance claims should stay apart from assay results.

Mushroom coffee generally combines coffee with dried mushroom extract powder, including lion's mane, chaga, reishi and cordyceps. Many solid mushroom coffee blends contain between 1 and 3 grams of mushrooms per serving. That mass covers extract powder, not raw mushroom equivalent unless the panel states so. One to two cups is a frequent sweet spot in brand guidance, but the practical calculation is individual. Sum the mushroom grams per serving, confirm whether species and extraction are identified, and follow caffeine from every source through the day.

The FDA general guidance for healthy adults is to hold daily caffeine below 400 mg. A mushroom coffee mixing regular coffee with extracts still adds caffeine through the coffee fraction. Decaf style blends add less, yet serving size and cup number still control intake. People who are pregnant, nursing, dosing a child, using blood thinners or immune active drugs, or treating a chronic illness should stop and consult a clinician before routine use, as chronic safety data in these groups are thin. Whether a dual extract or hot water extract creates a different perceived effect for a given individual also remains unshown.

To order three products, set down identical fields for each. Part used and substrate. Extraction method plus extract grams in each serving. Beta glucan proportion with method, plus starch where listed. Lot matched certificate bearing date from an independent ISO IEC 17025 lab. Heavy metals under USP 232 limits. The product with the fullest and most recent record generally places first, even when its ratio appears smaller.

07

The checklist

-
- ☐ Prefer fruiting body extract when beta glucans matter most
 - ☐ Scan ingredient lines for rice or oat substrate terms
 - ☐ Record water or dual solvent choice per species
 - ☐ Read ratio as starting material, not proven potency
 - ☐ Demand beta glucan percentage tied to a method
 - ☐ Discount total polysaccharides alone as evidence
 - ☐ Mark material below 5 percent beta glucans or above 40 percent starch
 - ☐ Align COA lot code with the jar code
 - ☐ Favor COAs issued inside the past 12 to 24 months
 - ☐ Verify testing by an independent ISO IEC 17025 facility
 - ☐ Check lead, mercury, arsenic and cadmium against USP 232 limits
 - ☐ Sum coffee mushroom content at 1 to 3 g per serving
 - ☐ Hold daily caffeine intake below 400 mg
 - ☐ Consult a clinician for pregnancy, children, blood thinners or immune drugs
-

Sources and further reading

- Mycelium vs. Fruiting Bodies of Edible Fungi—A Comparison of Metabolites · [pmc.ncbi.nlm.nih.gov](https://pubmed.ncbi.nlm.nih.gov/)
- Dual Extraction vs Hot Water Extraction: Methods, Differences and Marketing Claims Explained · topshelfmushrooms.com
- Edible Mushrooms and Beta-Glucans: Impact on Human Health · [pmc.ncbi.nlm.nih.gov](https://pubmed.ncbi.nlm.nih.gov/)
- How to Read a Certificate of Analysis (COA) for Mushroom · shroomap.com
- Hot-Water vs. Dual Mushroom Extracts: What the Terms Mean · topshelfmushrooms.com
- Screening of beta-glucan contents in commercially cultivated and wild growing mushrooms · sciencedirect.com

For information only, not medical advice. These statements have not been evaluated by the Food and Drug Administration, and no supplement here is intended to diagnose, treat, cure or prevent any disease. Ask a doctor or pharmacist before starting one, especially alongside prescription medicines, in pregnancy or before surgery.



WRITTEN BY

Hailey Carson

Hailey produces the Half Life interviews: the reading, the question lists, the follow-ups. She asks every founder for the study behind the claim and, more often than you would expect, gets the PDF the same afternoon.
